

FIG.1a.

Synthetic DNA Substrates Mimicking Transcriptional Cis- Regulatory Elements

5' -GGGAATTCAAGGGGCGGGGCAAGGATCCAG -3' GC-box a:

5' -CTGGATCCTTGCCCCGCCCTTGAATTCCC -3' GC-box b:

GC-box b MET:5' -CTGGATCCTTGCCC MCGCCCCTTGAATTCCC -3'

5' -GGGAATTCAAATGACGTCAAAAGGATCCAG -3' CRE a:

5' -CTGGATCCTTTTGACGTCATTTGAATTCCC -3' CRE b:

5' -GGGAATTCAAATGA<sup>M</sup> CGTCAAAAGGATCCAG -3' CRE a MET:

BEST AVAILARIE COPY

SUBSTITUTE SHEET (RULE 26)

vooucert toese


APPROVEO	0.G. f	·IG.
ay	CLASS	SUBCLASS
DRAFTSMAN		

7	2
T	-
(	3
$\equiv$	_
Ц	_

TOLOGOYA GUNTUM

			2/26				
IC50 (nM)		5	2	30	50	150	300
Kii IC50 (nM) (nM)	GAATTCCC-3 6800	TTGAATTCCC-3' 20 15	TTGAATTCCC-3'				
Sequence	5'-CTGGATCCTTGCCCCGCCCCTTGAATTCCC-3	5'-CTGGATCCTTGCCCmCGCCCCTTGAATTCCC-3'	5'-CTGGATCCTTGCCCmCGCCCCTTGAATTCCC-3'	5'- CCTACCCACCCTGGATCCTTGCCCmCGCCCCTTGAATTCCCAACCCTCCAC-3'	5'-ATCCTTGCCCmCGCCCCTTGAAT-3'	5'TTGCCCmCGCCCTT-3'	5'-GGGAATTCAAATGAmCGTCAAAAGGATCCAG-3'
NUCLEO- TIDES	30	30	30	50 5'-	22	4	30
NAME NU	GC-Box b	(SEQ ID NO: 10) GC-Box bMET (SEQ ID NO: 10)	GC Box p MET	(SECTIONOL 10) GC-Box cMET	(SEQ ID NO: 13) GC Box dMET	GC-Box eMET (SEQ ID NO: 15)	CRE aMET (SEQ ID NO: 11)

3/26




SUBSTITUTE SHEET (RULE 26)


BEST AVAILABLE COPY


APPROVED O.G. FIG.
. BY CLASS SUBCLASS DRAFTSMAN

4/26



5/26






BEST AVAILARI F COPY

6/26

APPROVED O.G. FIG.
BY CLASS SUBCLASS
DRAFTSMAN



APPROVED O.G. FIG. BY CLASS SUBCLASS BRAFTSMAN

7/26

Primer D

BEST AVAILABLE COPY

SUBSTITUTE SHEET (RULE 26)

Primer C

BEST AVAILABLE COPY

APPROVED O.G. FIG.

BY CLASS SUBCLASS
PRAFTSMAN

FIG.7a.

8/26

## STARTING POPULATION

## FIG.7b. GENERATION 1

TAGGTATTGGGGCGGAAGGTGGGTGG GGGGGTATAATACGGTGTTTGGTAGGG GGGTTGGGGTTTCGTGTGGGGGGTGT TGTGGGTATGGGCGGTGATAGTGAAG GGATGATGGGGTCGAGAGTGGTGGTG TAGTGGGTGGAGCGAGTGGTTGG AGGGTGGGTGGGCGGAGTTGTTGTTG GTGAGGAGGGAGCGGAATGGGGGTG GGGGTGGGGAGCGGAAGGTGGTTTTG

## FIG.7c. GENERATION 3

9/26

FIG.70

<b>#</b> 5	7	5	တ	6	œ	œ	œ	7	2	9	10	<b>o</b>	<b>o</b>
GpT	•	•	:	•	•	•	•	•	•	•		•	•
ТрG СрТ	•	•	•	•	•	•	•	•	•	•	•	•	•
GENERATION 5	TGGGGGGGGGGGGGGGAGTTTGA.	GGGGGGGGGCGGATAGTTGTGTG	GGGTGGGGTGGCGGTGGGG	GAGGGGGGAGCGGAGGGGGTTGGG	GGGGGGAAGGGCGTGGGGTTGGGTG	-GGGAGGGGGGCGATGGGGTGGTGG	GGGTGGGGTGGCGTTGTGGGGTGGGG	GGGAGGGGTGGCGGTGGGTATGTGG	GGGGAGGGTGGCGGGTATGGAGTGG	GGGGGGGAGTGCGTTGATGGGTGTG	GGGGGGTGGATCGTGGGGGGAGGGG	GGGGTAGGGTGGCGGGGGGGTATGG	GGGATGGGGGTGCGGGGGGG
TpG	•		•				•	•	•	•	•	:	•
GpT			•				•	•	•	•	•	•	•
<b>#</b> 5	7	<del>-</del>	10	10	10	10	10	10	10	10	တ	တ	<b>o</b>

SUBSTITUTE SHEET (RULE 26)

TOLETTA SPUTE

BEST AVAILABLE COPY

-	APPROVED	0.G. I	FIG.	1
	ÐY ·	CLASS	SUBCLASS	1
	DRAFTSMAH			

10/26

#5	~	(0	7	တ	တ	10	ဟ	_	•	<b>C</b>	œ	<b>~</b>
	•	•	:	:	:	•		•	:	:	:	•
TpG GpT	•	•	•	:	•	•	•	•	:	•	•	•
GENERATION 5	GGGAGGGGTAGCGGGAGTGTGTG	GGGGGTAAGGGGGGGTAAGAATGGGGGG	GGGGGGTGGTTCGGTAATGGGGGGT	GGTGGGAGAGGCCTGGTGTAGGTAG	GGGGGGGTGTACGAGGTTTGTGTGG	TGGTGGAGGGGCGAAGAAGTGTGTG	GGGGGTGGGATGCGGAATAAGGATGG	TGAGGGGAGGCGAATAGATGGTGG	GGGGGAGTAAGCGGGGGTGTGGTGG	TGAAGGGGGTGCGGGGTGTGGGGGG-	GTGGTGATGGGGCGGGGTGGTGG	TGGAGGGGTAGGCGTGGGGTGATGGG
TpG			•	•	•	•	:	•		•	•	•
GpT	•	• .	•	•	•	•	•		•	•	•	•
<b>#</b> 5	6	6	თ	<b>o</b>	6	တ	0	6	ω	∞	œ	ω

BEST AVAILABLE COPY

<b>#</b> 5	ω	ω	7	9	10	9	6	6	6	∞	œ	7
TpG GpT	•	•	•	•	:	•		•	•	•	•	:
TpG	• • •	Ğ	•	•	G	•	G	: G	•	•	•	•
GENERATION 5	GGTAGGGAGTGGCGGGTGGTGATGGG	GGGTGTAGAGGCCGGGAGTAGAGGGG	GGGTGGGTTTGGCGTAATTGTGTGGG	GGGTGTGTTGGGCGTGGGGTATGTAG	TGGGGAGAATGGCGGGGGGGTGGTGGG	TATGGTGGGAGGCGGGGGGGGTTG	TGGGGAAAGAGGCGTGAGTGGGGGG	TGTAGGGGAGGACGGGGGGGTG	GGGTGGGTAATGCGTAGGGTGGGGGG	GTGTGGGTAAGGCGGTATGGGGGGTGG	TGGAGGGTGTTGCGGTGAGGTGGTGG	GGTGGTGATCGGGGTTGTGATGG
ТрG	•	•	•	•	•	•	•	•	•	:	•	•
GpT	•	•	•	•		•		•	•	•	•	•
<b>#</b> 5	∞	<b>∞</b>	8	∞	7	7	7	7	7	7	7	7

AGGGTTAGTGAACGGGGGGGGGGTGG

12/26

FIG.7g.


**#**5

#5	7	7	7	7	9	വ	ω	9	9	4
GpT	•	•	•	•	•		•	•	•	•
TpG	•	•	:	•	•	•	•	•	•	•
GENERATION 5	GGGGGTAAAGTGCGGGTGGTTGATGG	GTGGAGGTGTTGCGTAGTGTGGGAGG	GTGGGGAATGGTCGGTTATGGTGGGG	GGGATGTGGTAGCGGGGGTGTGTTAG	GGGGTAGGAGTTCGTAGGGGTGTGTT	GAGGTGGTGGATCGGGATGATGGATT	TGGGGGAAATACGGGGGGGGGGGTGGTA	GGAGTAGGGTTACGTGGTGATGG	GAGGAGTAAAGGCGTGTGTTGTGGTG	TGGATGAGAGTGCGTGTATGATAAGG
TpG	•	•	•	•		•	•		-	•
GpT TpG	•	•	•	•	•	•		:	•	•

BEST AVAILABLE COPY

9

13/26



BEST AVAILABLE COPY

O.G. FIG. APPROVED CLASS SUBCLASS BRAFTSHAN

FIG.9a

DEFINITION Lyt-2.2 gene, T- cell differentiation antigen, 3' UTR. ACCESSION GB\_RO:MMLYT22

TGGGGGGGGGGGGGGGGGGGTTTGA

DEFINITION homeo box 2.6 (Hox-2.6) mRNA ACCESSION GB\_RO:MUSHOX26

GGGGAACAGCGAGCACCGAAGGGGGTGCGGGGTATGGGAGGGTCCCCGGGCTTGAGC GGGATGGGGGTG<u>C</u>GGGGTATGGGGGG

86

880

8

920

910

GGTGGTGGTGATCGGGGTTGTGATGG DEFINITION growth arrest-specific promoter gene, gas-1 ACCESSION GB\_RO:MMGAS1PRA

2490

2500

2510

2520

BEST AVAILABLE COPY

APPROVED O.G. FIG. 97 CLASS SUBCLASS DRAFTSMAN

PCT/US 98 / 12351 RC/US 11 SEP 1998

8380

15/26

DEFINITION pim-1 proto-oncogene, pim-1 protein kinase, CpG island, 5' UTR region. GB\_RO:MUSPIM1 ACCESSION

FIG.9b.

GAGGGGGGGAGCGGAGGGGGTTGGG

GAGGGGTGTAGCCGCGAGGGGGGGGGGGGGGGGGGGGGCCCTGGTCCCGCCGCC

1540

1530

1520 1510

1500

DEFINITION neuronal dihydropyridine-sensitive L-type calcium channel alpha-1 subunit mRNA, 3' UTR

GB\_RO:MUSDHPCC **ACCESSION**  CCCCACCACACGCCACCCCACCC

BEST AVAILABLE COPY

APPROVEO O.G. FIG. CLASS SUBCLASS ВY ORAFTSMAN

FIG.9c.

16/26

**HUMAN SEQUENCES** 

Huntington's Disease Region, chromsome 4p16.3. DEFINITION

GB\_PR:HSL1C2

Human Down Syndrome region of chomosome 21 DEFINITION **ACCESSION** 

GB\_HTG:HSAC000002 ACCESSION upstream region of HoxA7 gene, CpG island. DEFINITION

GB\_PR:HSHCRDNA **ACCESSION** 

chromosome 22 CpG island DNA DEFINITION

GB\_PR:HS303B3

**ACCESSION** 

CpG island DNA. DEFINITION

GB\_PR:HS167B9F ACCESSION

Y chromosome sex determining region, Yp pseudoautosomal DEFINITION

boundary, PAB1

GB\_PR:HSCAMF3X1 **ACCESSION** 

creatine transporter and paralogous genes, pericentomeric repeats on chromosome 16. DEFINITION

GB\_PR:HSU41302 **ACCESSION**  cathepsin D (cat D) gene, exon 5. GB\_PR:HUMCATD3 DEFINITION

**ACCESSION** 

APPROVED O.G. FIG. BY CLASS SUBCLASS DRAFTSMAN

PCT/US 98 / 12351 RO/US 11 SEP 1998

17/26

**FIG.9**d

argininosuccinate synthetase gene 5' end, CpG island GB\_PR:HSASG5E DEFINITION ACCESSION

argininosuccinate synthetase gene 5' end, CpG island GB\_PR:HUMAS1 DEFINITION

**ACCESSION** 

vimentin gene, 5' regulatory region, CpG island. GB\_PR:HUMVIM DEFINITION

**ACCESSION** 

vimentin gene, exon 1, 5' end CpG island. DEFINITION

GB\_PR:HUMVIM02 ACCESSION

vimentin gene, 5' end, CpG island. DEFINITION

GB\_PR:HUMVIMAA **ACCESSION** 

vimentin gene, 5' end, CpG island GB\_PR:HSVIM5RR DEFINITION **ACCESSION**  chromosome 22 DNA \*SEQUENCING IN PROCESS\*, CpG island DEFINITION

GB\_HTG:HS170A21 **ACCESSION**  18/26

FIG. 10.






FIG. 13.



PCT/US 98 / 12351 RO/US 11 SEP 1998

19/26



notenat name

ST AVAILABLE COPY

20/26




FIG.12b.







FIG.14. 7.50 6.00 1/velocity (hr/pmol) 4.50 3.00 1.50 0 0.30 0.60 0 0.10 0.20 0.40 0.50 0.70 1/pdldC (PM<sup>-1</sup>)



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)



1/pdldC(pM-1)

FIG. 17b.





FIG. 17c.



SUBSTITUTE SHEET (RULE 26)

BEST AVAILABLE COPY

5.0

4.0

2.0

0

0

**8** 8

0.01

0.02 0.03 0.04

1/pdldC (pM-1)

SUBSTITUTE SHEET (RULE 26)

0.05

0.06

hr/pmol

BEST AVAILABLE COPY

25/26




FIG.21.





FIG.22.



SUBSTITUTE SHEET (RULE 26)

 26/26

FIG.23a.




FIG.23b.





FIG.23c.



SUBSTITUTE SHEET (RULE 26)